# **Introduction - Algebra I**

The following released test questions are taken from the Algebra I Standards Test. This test is one of the California Standards Tests administered as part of the Standardized Testing and Reporting (STAR) Program under policies set by the State Board of Education.

All questions on the California Standards Tests are evaluated by committees of content experts, including teachers and administrators, to ensure their appropriateness for measuring the California academic content standards in Algebra I. In addition to content, all items are reviewed and approved to ensure their adherence to the principles of fairness and to ensure no bias exists with respect to characteristics such as gender, ethnicity, and language.

This document contains released test questions from the California Standards Test forms in 2003, 2004, 2005, 2006, 2007, and 2008. First on the pages that follow are lists of the standards assessed on the Algebra I Test. Next are released test questions. Following the questions is a table that gives the correct answer for each question, the content standard that each question is measuring, and the year each question last appeared on the test.

The following table lists each reporting cluster, the number of items that appear on the exam, and the number of released test questions that appear in this document. Some of the released test questions for Algebra I are the same test questions found in different combinations on the Integrated Mathematics 1 and 2 California Standards Tests and the Summative High School Mathematics California Standards Test.

REPORTING CLUSTER	NUMBER OF QUESTIONS ON EXAM	NUMBER OF RELEASED TEST QUESTIONS
Number Properties, Operations, and Linear Equations	17	25
Graphing and Systems of Linear Equations	14	21
Quadratics and Polynomials	21	30
Functions and Rational Expressions	13	20
TOTAL	65	96

In selecting test questions for release, three criteria are used: (1) the questions adequately cover a selection of the academic content standards assessed on the Algebra I Test; (2) the questions demonstrate a range of difficulty; and (3) the questions present a variety of ways standards can be assessed. These released test questions do not reflect all of the ways the standards may be assessed. Released test questions will not appear on future tests.

For more information about the California Standards Tests, visit the California Department of Education's Web site at <u>http://www.cde.ca.gov/ta/tg/sr/resources.asp</u>.

- 1 -

1

2

#### Is the equation 3(2x-4) = -18 equivalent to 6x-12 = -18?


- A Yes, the equations are equivalent by the Associative Property of Multiplication.
- **B** Yes, the equations are equivalent by the Commutative Property of Multiplication.
- C Yes, the equations are equivalent by the Distributive Property of Multiplication over Addition.
- **D** No, the equations are not equivalent.

CSA10108


#### Which statement is false?

- A The order in which two whole numbers are subtracted does not affect the difference.
- **B** The order in which two whole numbers are added does not affect the sum.
- **C** The order in which two rational numbers are added does not affect the sum.
- **D** The order in which two rational numbers are multiplied does not affect the product.

CSA00001



## 4 Which expression is equivalent to $x^6x^2$ ? A $x^4x^3$ B $x^5x^3$ C $x^7x^3$ D $x^9x^3$ CSA20167



#### **Released Test Questions**

#### **Released Test Questions**

7 What is the solution for this equation? Which equation is equivalent to 11 3[7x-4(x-3)]+1=16?|2x-3|=5A 9x - 2 = 16Α x = -4 or x = 4B 9x + 37 = 16B x = -4 or x = 3C 17x - 2 = 16С x = -1 or x = 4D 17x + 13 = 16D x = -1 or x = 3CSA20078 CSA00264 12 The total cost (c) in dollars of renting a sailboat 8 What is the solution set of the inequality for *n* days is given by the equation  $5-|x+4| \leq -3?$ c = 120 + 60n. A  $-2 \le x \le 6$ If the total cost was \$360, for how many days **B**  $x \le -2 \text{ or } x \ge 6$ was the sailboat rented? **C** -12 < x < 42 Α **D**  $x \leq -12$  or  $x \geq 4$ B 4 CSA10036 6 С D 8 CSA00485 9 Which equation is equivalent to 5x-2(7x+1)=14x?Α -9x - 2 = 14x13 Solve: 3(x+5) = 2x+35B -9x+1=14xStep 1: 3x + 15 = 2x + 35-9x + 2 = 14xС Step 2: 5x + 15 = 3512x - 1 = 14xD 5x = 20Step 3: x = 4Step 4: CSA00206 Which is the first *incorrect* step in the solution shown above? **10** Which equation is equivalent to 4(2-5x) = 6-3(1-3x)?Step 1 Α Α 8x = 5B Step 2 8x = 17B С Step 3 С 29x = 5D Step 4 29x = 17D CSA00332

CSA00059

- 7 -

- **14** A 120-foot-long rope is cut into 3 pieces. The first piece of rope is twice as long as the second piece of rope. The third piece of rope is three times as long as the second piece of rope. What is the length of the longest piece of rope?
  - A 20 feet
  - **B** 40 feet
  - **C** 60 feet
  - **D** 80 feet
- 15 The cost to rent a construction crane is \$750 per day plus \$250 per hour of use. What is the maximum number of hours the crane can be used each day if the rental cost is not to exceed \$2500 per day?
  - A 2.5
  - **B** 3.7
  - **C** 7.0
  - **D** 13.0

CSA10057

CSA10052

# Released Test Questions

**17** The lengths of the sides of a triangle are y, y + 1, and 7 centimeters. If the perimeter is 56 centimeters, what is the value of y?

Α	24	
В	25	
С	31	
D	32	
		CSA10046

18 Beth is two years older than Julio. Gerald is twice as old as Beth. Debra is twice as old as Gerald. The sum of their ages is 38. How old is Beth?

- **A** 3
- **B** 5
- **C** 6

8

D

CSA20171

- **16** What is the solution to the inequality x-5 > 14?
  - A x > 9
  - **B** x > 19
  - $\mathbf{C} = x < 9$
  - **D** *x* < 19

CSA00487



Α

B

С

D

Α

B

С

D

A

21

20

100

57

30

25

Which number serves as a counterexample to the statement below?

All positive integers are divisible by 2 or 3.



The chart below shows an expression evaluated for four different values of x.

x	$x^{2}+x+5$
1	7
2	11
6	47
7	61

Josiah concluded that for all positive values of  $x, x^2 + x + 5$  produces a prime number. Which value of *x* serves as a counterexample to prove Josiah's conclusion false?

CSA20027


John's solution to an equation is shown below.

 $x^2 + 5x + 6 = 0$ (x+2)(x+3)=0x + 2 = 0 or x + 3 = 0x = -2 or x = -3

Which property of real numbers did John use

- multiplication property of equality A
- zero product property of multiplication
- С commutative property of multiplication
- D distributive property of multiplication over addition

CSA20034



CSG10197

- members.
- B A student is a high school band member.
- С All students are good musicians.
- D All high school band members are good musicians.

CSA30095

24 Stan's solution to an equation is shown below.

Given: n + 8(n + 20) = 110Step 1: n + 8n + 20 = 110Step 2: 9n + 20 = 110Step 3: 9n = 110 - 20Step 4: 9n = 90Step 5:  $\frac{9n}{9} = \frac{90}{9}$ Step 6: n = 10

#### Which statement about Stan's solution is true?

- A Stan's solution is correct.
- **B** Stan made a mistake in Step 1.
- C Stan made a mistake in Step 3.
- **D** Stan made a mistake in Step 5.

CSA20035


#### When is this statement true?

25

The opposite of a number is less than the original number.


- A This statement is never true.
- **B** This statement is always true.
- **C** This statement is true for positive numbers.
- **D** This statement is true for negative numbers.

CSA20147





Which inequality is shown on the graph below?




$$A \quad y < \frac{1}{2}x - 1$$
$$B \quad y \le \frac{1}{2}x - 1$$
$$C \quad y > \frac{1}{2}x - 1$$
$$D \quad y \ge \frac{1}{2}x - 1$$

CSA10130


- 10 -

#### **Released Test Questions**

# Algebra I



29 Which inequality does the shaded region of the graph represent?




- $\mathbf{A} \quad 3x + y \le 2$
- **B**  $3x + y \ge 2$
- C  $3x + y \leq -2$
- **D**  $3x + y \ge -2$

CSA20055

#### CALIFORNIA STANDARDS TEST

# Algebra I



Which equation *best* represents the graph above?

- $\mathbf{A} \quad \mathbf{y} = \mathbf{x}$
- **B** y = 2x


$$\mathbf{C} \quad y = x + 2$$

**D** y = 2x + 2

CSA00508

#### **Released Test Questions**

31 Which equation represents the line shown in the graph below?





CSA00007

— 12 —

- **A** (0, 2)
- **B** (0, 6)
- $\mathbf{C} \quad \left(1, -\frac{1}{6}\right)$  $\mathbf{D} \quad \left(1, -\frac{1}{3}\right)$

CSA00009

34 What is the equation of the line that has a slope of 4 and passes through the point (3,-10)?

- $\mathbf{A} \quad \mathbf{y} = 4x 22$
- $\mathbf{B} \qquad y = 4x + 22$
- $\mathbf{C} \qquad y = 4x 43$
- **D** y = 4x + 43

CSA10150

The data in the table show the cost of renting a bicycle by the hour, including a deposit.

#### **Renting a Bicycle**

Hours (h)	Cost in dollars (c)
2	15
5	30
8	45

If hours, *h*, were graphed on the horizontal axis and cost, *c*, were graphed on the vertical axis, what would be the equation of a line that fits the data?

A c = 5hB  $c = \frac{1}{5}h + 5$ C c = 5h + 5

**D** 
$$c = 5h - 5$$

CSA10005

13 -

Algebra I

#### **Released Test Questions**

36

Some ordered pairs for a linear function of *x* are given in the table below.

X	У
1	1
3	7
5	13
7	19

Which of the following equations was used to generate the table above?

- $\mathbf{A} \quad \mathbf{y} = 2\mathbf{x} + 1$
- $\mathbf{B} \qquad y = 2x 1$
- C y = 3x 2
- **D** y = 4x 3

CSA10181

37 Which point lies on the line represented by the equation below?

5x + 4y = 22

- $\mathbf{A} \quad \left(-2, \frac{11}{4}\right)$  $\mathbf{B} \quad \left(-1, \frac{17}{4}\right)$
- **C** (2,3)
- **D** (6,2)

CSA10148

**38** The equation of line *l* is 6x + 5y = 3, and the equation of line *q* is 5x - 6y = 0. Which statement about the two lines is true?

- **A** Lines *l* and *q* have the same *y*-intercept.
- **B** Lines *l* and *q* are parallel.
- **C** Lines *l* and *q* have the same *x*-intercept.
- **D** Lines l and q are perpendicular.

CSA00241

**39** Which equation represents a line that is

parallel to 
$$y = -\frac{5}{4}x + 2$$
?


$$\mathbf{A} \quad y = -\frac{5}{4}x + 1$$


$$\mathbf{B} \quad y = -\frac{4}{5}x + 2$$

$$C y = \frac{4}{5}x + 3$$
$$D y = \frac{5}{4}x + 4$$

CSA10112







What is the solution to this system of equations?

$$\begin{cases} y = -3x - 2\\ 6x + 2y = -4 \end{cases}$$

**A** (6, 2)

41

- **B** (1, -5)
- C no solution
- **D** infinitely many solutions

CSA00027

42

Which ordered pair is the solution to the system of equations below?

$$\begin{cases} x+3y=7\\ x+2y=10 \end{cases}$$

**A** 
$$\left(\frac{7}{2}, \frac{13}{4}\right)$$
  
**B**  $\left(\frac{7}{2}, \frac{17}{5}\right)$   
**C** (-2, 3)  
**D** (16, -3)

CSA10131

- 43 Marcy has a total of 100 dimes and quarters. If the total value of the coins is \$14.05, how many quarters does she have?
  - A 27B 40
  - **C** 56
  - **D** 73

CSA20083

44 Which of the following *best* describes the graph of this system of equations?

$$\begin{cases} y = -2x + 3\\ 5y = -10x + 15 \end{cases}$$

- A two identical lines
- **B** two parallel lines
- C two lines intersecting in only one point
- **D** two lines intersecting in only two points

CSA00509

- 15 -

**45** Members of a senior class held a car wash to raise funds for their senior prom. They charged \$3 to wash a car and \$5 to wash a pick-up truck or a sport utility vehicle. If they earned a total of \$275 by washing a total of 75 vehicles, how many cars did they wash?

- A 25
- **B** 34
- **C** 45
- **D** 50

CSA10187

- 46 At what point do the lines represented by the equations 2x + y + 1 = 0 and 4x + y 3 = 0 intersect?
  - A (2,5)
  - **B** (2, -5)
  - **C** (−1,1)
  - **D** (1, -1)

CSA20092

CSA00303

47

 $\frac{5x^3}{10x^7} =$ 

A  $2x^4$ 

 $\mathbf{B} \quad \frac{1}{2x^4}$ 

- C  $\frac{1}{5x^4}$
- D  $\frac{x^4}{5}$

**48** 
$$(4x^2 - 2x + 8) - (x^2 + 3x - 2) =$$
  
**A**  $3x^2 + x + 6$   
**B**  $3x^2 + x + 10$   
**C**  $3x^2 - 5x + 6$   
**D**  $3x^2 - 5x + 10$ 

CSA00086

**49** The sum of two binomials is  $5x^2 - 6x$ . If one of the binomials is  $3x^2 - 2x$ , what is the other binomial?

- **A**  $2x^2 4x$
- **B**  $2x^2 8x$
- **C**  $8x^2 + 4x$
- **D**  $8x^2 8x$

**D**  $4x^2 + 2x$ 

CSA10160

# 50 Which of the following expressions is equal to (x+2)+(x-2)(2x+1)?A $2x^2-2x$ B $2x^2-4x$ C $2x^2+x$

CSA10191

- 16 -

This is a sample of California Standards Test questions. This is NOT an operational test form. Test scores cannot be projected based on performance on released test questions. Copyright © 2009 California Department of Education.


#### **Released Test Questions**

- 51 A volleyball court is shaped like a rectangle. It has a width of x meters and a length of 2x meters. Which expression gives the area of the court in square meters?
  - A 3x
  - **B**  $2x^2$
  - C  $3x^2$
  - **D**  $2x^3$

CSA00496



What is the perimeter of the figure shown below, which is not drawn to scale?




- A 5x + 33
- **B**  $5x^3 + 33$
- C 8x + 30
- **D**  $8x^4 + 30$

CSA10016

53 Which is the factored form of  $3a^2 - 24ab + 48b^2$ ?

- A (3a-8b)(a-6b)
- **B** (3a-16b)(a-3b)
- C 3(a-4b)(a-4b)
- **D** 3(a-8b)(a-8b)

CSA00066



55 Which of the following shows  $9t^2 + 12t + 4$  factored completely?

**A** 
$$(3t+2)^2$$
  
**B**  $(3t+4)(3t+1)$   
**C**  $(9t+4)(t+1)$   
**D**  $9t^2+12t+4$ 

CSA20106

56 What is the complete factorization of  $32 - 8z^2$ ?

A 
$$-8(2+z)(2-z)$$
  
B  $8(2+z)(2-z)$   
C  $-8(2+z)^2$ 

**D** 
$$8(2-z)^2$$

CSA20105

– 17 –

This is a sample of California Standards Test questions. This is NOT an operational test form. Test scores cannot be projected based on performance on released test questions. Copyright © 2009 California Department of Education.

#### Algebra I

- A –7
- **B** -6
- **C** 14
- **D** 42

CSA10171

58

What quantity should be added to both sides of this equation to complete the square?

 $x^2 - 8x = 5$ 

- **A** 4
- **B** 4
- **C** 16
- **D** –16

CSA00478

59

What are the solutions for the quadratic equation  $x^2 + 6x = 16$ ?

- A -2, -8
- **B** −2, 8
- **C** 2, −8
- **D** 2, 8

CSA10062

**60** Leanne correctly solved the equation  $x^2 + 4x = 6$  by completing the square. Which equation is part of her solution?

**A** 
$$(x+2)^2 = 8$$
  
**B**  $(x+2)^2 = 10$   
**C**  $(x+4)^2 = 10$   
**D**  $(x+4)^2 = 22$ 

CSA20139

Carter is solving this equation by factoring.

 $10x^2 - 25x + 15 = 0$ 

Which expression could be one of his correct factors?

- $\begin{array}{ccc} \mathbf{A} & x+3 \\ \mathbf{B} & x-3 \end{array}$
- C 2x + 3
- **D** 2x 3

CSA00162



61

What are the solutions for the quadratic equation  $x^2 - 8x = 9$ ?

- **A** 3 **B** 3, -3
- C 1,-9
- **D** −1, 9

CSA10063

**63** Toni is solving this equation by completing the square.

$$ax^2 + bx + c = 0$$
 (where  $a \ge 0$ )

Step 1:  $ax^2 + bx = -c$ Step 2:  $x^2 + \frac{b}{a}x = -\frac{c}{a}$ Step 3: ?

Which should be Step 3 in the solution?

$$\mathbf{A} \quad x^2 = -\frac{c}{b} - \frac{b}{a}x$$

**B**  $x + \frac{b}{a} = -\frac{c}{ax}$ 

$$\mathbf{C} \qquad x^2 + \frac{b}{a}x + \frac{b}{2a} = -\frac{c}{a} + \frac{b}{2a}$$
$$\mathbf{D} \qquad x^2 + \frac{b}{a}x + \left(\frac{b}{2a}\right)^2 = -\frac{c}{a} + \left(\frac{b}{2a}\right)^2$$

CSA00072

$$I \qquad x^{2} + \frac{bx}{a} = \frac{-c}{a}$$

$$II \qquad \left(x + \frac{b}{2a}\right)^{2} = \frac{b^{2} - 4ac}{4a^{2}}$$

$$III \qquad x = \pm \sqrt{\frac{b^{2} - 4ac}{4a^{2}}} - \frac{b}{2a}$$

$$IV \qquad x^{2} + \frac{bx}{a} + \left(\frac{b}{2a}\right)^{2} = \frac{-c}{a} + \left(\frac{b}{2a}\right)^{2}$$

#### What is the correct order for these steps?

A I, IV, II, III
B I, III, IV, II
C II, IV, I, III
D II, III, I, IV

CSA20062

# 65 Which is one of the solutions to the equation $2x^2 - x - 4 = 0$ ?

$$\mathbf{A} \quad \frac{1}{4} - \sqrt{33}$$
$$\mathbf{B} \quad -\frac{1}{4} + \sqrt{33}$$

C 
$$\frac{1+\sqrt{33}}{4}$$

 $\mathbf{D} \quad \frac{-1 - \sqrt{33}}{4}$ 

CSA00314

#### Algebra I

Four steps to derive the quadratic formula are shown below.

- 66 Which statement *best* explains why there is no real solution to the quadratic equation  $2x^2 + x + 7 = 0$ ?
  - A The value of  $1^2 4 \cdot 2 \cdot 7$  is positive.
  - **B** The value of  $1^2 4 \cdot 2 \cdot 7$  is equal to 0.
  - **C** The value of  $1^2 4 \cdot 2 \cdot 7$  is negative.
  - **D** The value of  $1^2 4 \cdot 2 \cdot 7$  is not a perfect square.

67

What is the solution set of the quadratic equation  $8x^2 + 2x + 1 = 0$ ?

- A  $\left\{-\frac{1}{2}, \frac{1}{4}\right\}$ B  $\left\{-1 + \sqrt{2}, -1 \quad \sqrt{2}\right\}$ C  $\left\{\frac{-1 + \sqrt{7}}{8}, \frac{-1 - \sqrt{7}}{8}\right\}$
- **D** no real solution

CSA10179

CSA10147

68 What are the solutions to the equation

$$3x^2 + 3 = 7x?$$

A 
$$x = \frac{7 + \sqrt{85}}{6}$$
 or  $x = \frac{7 - \sqrt{85}}{6}$ 

**B** 
$$x = \frac{-7 + \sqrt{85}}{6}$$
 or  $x = \frac{-7 - \sqrt{85}}{6}$ 


C 
$$x = \frac{7 + \sqrt{13}}{6}$$
 or  $x = \frac{7 - \sqrt{13}}{6}$ 

**D** 
$$x = \frac{-7 + \sqrt{13}}{6}$$
 or  $x = \frac{-7 - \sqrt{13}}{6}$ 

CSA00224



The graph of the equation  $y = x^2 - 3x - 4$  is shown below.



For what value or values of x is y = 0?

- A x = -1 only
- **B** x = -4 only
- C x = -1 and x = 4
- **D** x = 1 and x = -4

CSA00514

72

-7


-6 -5 -4

-3

-2


#### **Released Test Questions**

# Algebra I



**D** y = (3x+1)(8x-2)

CSA20115




0

-6

2


4 5 6 7

What are the real roots of the function in the



CSA20120

x



CSA10084



- An object that is projected straight downward with initial velocity v feet per second travels a distance  $s = vt + 16t^2$ , where t = time in seconds. If Ramón is standing on a balcony 84 feet above the ground and throws a penny straight down with an initial velocity of 10 feet per second, in how many seconds will it reach the ground?
  - A 2 seconds
  - **B** 3 seconds
  - C 6 seconds
  - **D** 8 seconds

75 The height of a triangle is 4 inches greater than twice its base. The area of the triangle is 168 square inches. What is the base of the triangle?

- A 7 in.
- **B** 8 in.
- **C** 12 in.
- **D** 14 in.


CSA00104

CSA00158

76 A rectangle has a diagonal that measures 10 centimeters and a length that is 2 centimeters longer than the width. What is the width of the rectangle in centimeters?

- A 5
- **B** 6
- **C** 8
- **D** 12

CSA10200



CSA00463

78	Sim	plify $\frac{6x^2 + 21x + 9}{4x^2 - 1}$ to lowest terms.
	A	$\frac{3(x+1)}{2x-1}$
	B	$\frac{3(x+3)}{2x-1}$
	С	$\frac{3(2x+3)}{4(x-1)}$
	D	$\frac{3(x+3)}{2x+1}$

CSA10025

## **Released Test Questions**

79 What is 
$$\frac{x^2 - 4x + 4}{x^2 - 3x + 2}$$
 reduced to lowest terms?  
A  $\frac{x-2}{x-1}$   
B  $\frac{x-2}{x+1}$   
C  $\frac{x+2}{x-1}$   
D  $\frac{x+2}{x-1}$ 

81 What is the simplest form of the

fraction 
$$\frac{x^2 - 1}{x^2 + x - 2}$$
?  
A 
$$\frac{-1}{x - 2}$$
  
B 
$$\frac{x - 1}{x - 2}$$
  
C 
$$\frac{x - 1}{x + 2}$$
  
D 
$$\frac{x + 1}{x - 2}$$

x + 2

CSA20127

Algebra I

82  

$$\frac{7z^{2} + 7z}{4z + 8} \cdot \frac{z^{2} - 4}{z^{3} + 2z^{2} + z} =$$
A  $\frac{7(z - 2)}{4(z + 1)}$ 
B  $\frac{7(z + 2)}{4(z - 1)}$ 
C  $\frac{7z(z + 1)}{4(z + 2)}$ 
D  $\frac{7z(z - 1)}{4(z + 2)}$ 

CSA00067



What is  $\frac{12a^3 - 20a^2}{16a^2 + 8a}$  reduced to lowest terms? 80  $\frac{a}{2}$ A  $\frac{3a-5}{2a+1}$ B

C 
$$-\frac{2a}{4+2a}$$

x+1

$$\mathbf{D} \quad \frac{a(3a-5)}{2(2a+1)}$$

CSA00013


CSA10189

This is a sample of California Standards Test questions. This is NOT an operational test form. Test scores cannot be projected based on performance on released test questions. Copyright © 2009 California Department of Education.

- 23 —

#### CALIFORNIA STANDARDS TEST

#### Algebra I



91

#### **Released Test Questions**

- 88 One pipe can fill a tank in 20 minutes, while another takes 30 minutes to fill the same tank. How long would it take the two pipes together to fill the tank?
  - **A** 50 min
  - **B** 25 min
  - **C** 15 min
  - **D** 12 min

89

Two airplanes left the same airport traveling in opposite directions. If one airplane averages 400 miles per hour and the other airplane averages 250 miles per hour, in how many hours will the distance between the two planes be 1625 miles?

- A 2.5
- **B** 4
- **C** 5
- **D** 10.8

CSA10055

CSA00161

- **90** Lisa will make punch that is 25% fruit juice by adding pure fruit juice to a 2-liter mixture that is 10% pure fruit juice. How many liters of pure fruit juice does she need to add?
  - A 0.4 liter
  - **B** 0.5 liter
  - C 2 liters
  - **D** 8 liters

CSA10186

#### Jena's Vacation

Miles Traveled	600	450	300	960
Gallons of Gasoline	20	15	10	x

Jena's car averaged 30 miles per gallon of gasoline on her trip. What is the value of *x* in gallons of gasoline?

**A** 32

**B** 41

**C** 55

**D** 80

CSA10064

#### 92 W

Which relation is a function?

- $\mathbf{A} \quad \{(-1, 3), (-2, 6), (0, 0), (-2, -2)\}$
- $\mathbf{B} \quad \{(-2, -2), (0, 0), (1, 1), (2, 2)\}$
- $\mathbf{C} \quad \{(4,0), (4,1), (4,2), (4,3)\}$
- $\mathbf{D} \quad \{(7, 4), (8, 8), (10, 8), (10, 10)\}$

CSA10070

B

С

93

	Input	Output
	1	2
A	2	2
	3	3
	4	3


Input	Output
2	6
2	5
6	4
6	3

Input	Output
1	2
2	4
4	6
4	8

	Input	Output
	0	1
D	0	2
	1	3
	1	4

94

For which equation graphed below are *all* the *y*-values negative?




CSA00522

CSA10071

— **26** —

What is the domain of the function shown on the graph below? 95



- $\begin{array}{l} \mathbf{A} & \{-1, -2, -3, -4\} \\ \mathbf{B} & \{-1, -2, -4, -5\} \\ \mathbf{C} & \{1, 2, 3, 4\} \\ \mathbf{D} & \{1, 2, 4, 5\} \end{array}$


CSA10072

**— 27 —** 

## **Released Test Questions**



Which of the following graphs represents a relation that is *not* a function of x?



A	lq	e	b	ra
_			<u> </u>	

Question Number	Correct Answer	Standard	Year of Release
1	С	1.1	2006
2	Α	1.1	2008
3	В	2.0	2003
4	В	2.0	2005
5	В	2.0	2006
6	D	2.0	2007
7	С	3.0	2003
8	D	3.0	2004
9	Α	4.0	2003
10	С	4.0	2005
11	В	4.0	2008
12	В	5.0	2003
13	В	5.0	2004
14	С	5.0	2004
15	С	5.0	2006
16	В	5.0	2007
17	Α	5.0	2007
18	В	5.0	2008
19	D	24.1	2004
20	D	24.2	2006
21	D	24.2	2007
22	Α	24.3	2005
23	В	25.1	2005
24	В	25.2	2006
25	С	25.3	2005
26	С	6.0	2003
27	D	6.0	2004
28	Α	6.0	2006
29	Α	6.0	2007
30	В	6.0	2007
31	Α	6.0	2008
32	D	6.0	2008
33	С	7.0	2003
34	Α	7.0	2004
35	С	7.0	2005

# **Released Test Questions**

Question Number	Correct Answer	Standard	Year of Release
36	С	7.0	2007
37	С	7.0	2008
38	D	8.0	2003
39	Α	8.0	2004
40	С	9.0	2003
41	D	9.0	2004
42	D	9.0	2006
43	Α	9.0	2006
44	Α	9.0	2007
45	D	9.0	2008
46	В	9.0	2008
47	В	10.0	2004
48	D	10.0	2005
49	Α	10.0	2006
50	Α	10.0	2006
51	В	10.0	2007
52	С	10.0	2008
53	С	11.0	2003
54	В	11.0	2004
55	Α	11.0	2005
56	В	11.0	2007
57	Α	14.0	2004
58	С	14.0	2005
59	С	14.0	2005
60	В	14.0	2006
61	D	14.0	2007
62	D	14.0	2008
63	D	19.0	2003
64	Α	19.0	2005
65	С	20.0	2003
66	С	20.0	2005
67	D	20.0	2005
68	С	20.0	2008
69	С	21.0	2003
70	В	21.0	2006

Question Number	<b>Correct Answer</b>	Standard	Year of Release
71	В	21.0	2007
72	С	21.0	2008
73	Α	22.0	2004
74	Α	23.0	2003
75	С	23.0	2004
76	В	23.0	2008
77	В	12.0	2003
78	В	12.0	2005
79	Α	12.0	2006
80	D	12.0	2007
81	D	12.0	2008
82	Α	13.0	2003
83	D	13.0	2005
84	С	13.0	2006
85	С	13.0	2007
86	Α	15.0	2003
87	В	15.0	2004
88	D	15.0	2006
89	Α	15.0	2006
90	Α	15.0	2007
91	Α	15.0	2008
92	В	16.0	2004
93	Α	16.0	2008
94	Α	17.0	2004
95	D	17.0	2005
96	D	18.0	2007

# Algebra I