VIRGINIA STANDARDS OF LEARNING

Released Test

GRADE 7 MATHEMATICS

2009 Mathematics Standards of Learning

Released Spring 2014

Property of the Virginia Department of Education

Copyright ©2014 by the Commonwealth of Virginia, Department of Education, P.O. Box 2120, Richmond, Virginia 23218-2120. All rights reserved. Except as permitted by law, this material may not be reproduced or used in any form or by any means, electronic or mechanical, including photocopying or recording, or by any information storage or retrieval system, without written permission from the copyright owner. Commonwealth of Virginia public school educators may reproduce any portion of these released tests for non-commercial educational purposes without requesting permission. All others should direct their written requests to the Virginia Department of Education, Division of Student Assessment and School Improvement, at the above address or by e-mail to <u>Student_Assessment@doe.virginia.gov</u>.

Which of the following is true?

- \bigcirc **A** -10 + 14 = 4
- \bigcirc **B** -14 ÷ 10 = 1.4
- \bigcirc **C** 10-14 = 4
- **D** 14×(-10) = 140

Which number is a square root of 400 ?


- O A 400
- OB 200
- OC 40
- O D 20

What is 0.000012 written in scientific notation?

- \bigcirc A 1.2×10⁻⁵
- \odot B 1.2×10⁻⁴
- $\odot~\textbf{C}$ 1.2 $\times 10^4$
- \bigcirc D 1.2 $\times10^5$

Directions: Click and drag each selected number to the correct box.

Arrange the three numbers shown in order from least to greatest.




| $4.7\!\times\!10^5$ | $3.9\!	imes\!10^8$ | $5.2 	imes 10^5$ |
|---------------------|--------------------|------------------|
|---------------------|--------------------|------------------|


Which list of numbers is arranged from least to greatest?

• A 0.25, 17%, $\frac{2}{9}$ • B 0.25, $\frac{2}{9}$, 17% • C 17%, 0.25, $\frac{2}{9}$ • D 17%, $\frac{2}{9}$, 0.25 Directions: Type your answer in the box.

What is the value of $(-15) - (-18) \div 3$?



Which number is a square root of 1?



The non-calculator section of the test ends here.


Let *n* represent any number in this sequence.

2, 24, 46, 68, ...

Which of these can be used to determine the next number?

-) A $\frac{n}{12}$
- B 12n
- **C** *n*+22
- D n-22

Which number sentence is represented by this model?



- \bigcirc A $-3 \cdot 5 = 15$
- \bigcirc **B** $-3 \cdot 5 = -15$
- C -3.(-5)=15
- **D** -3·(-5) = -15

Clarence made a scale drawing of a classroom. The scale in the drawing is 2 inches represents 9 feet. The actual length of the classroom is 36 feet. What is the length of the classroom on the scale drawing?

- A 4 inches
- B 8 inches
- C 27 inches
- D 162 inches

Which fraction and decimal are equivalent to 10^{-3} ?

A
$$\frac{-1}{10^3}$$
 and -0.003
B $\frac{1}{10^3}$ and -0.003
C $\frac{-1}{10^3}$ and 0.001
D $\frac{1}{10^3}$ and 0.001

What is the absolute value of -8.2?

- O A 8.2
- OB 4.1
- C -4.1
- D -8.2

Which statement is true about the pattern shown?


5, 20, 80, 320, ...

- A The common ratio is 4.
- B The common ratio is 15.
- C The common difference is 4.
- D The common difference is 15.


Kelly received a 25% discount on the purchase of a \$240 bicycle. What was the amount of the discount Kelly received?

- A \$25
- B \$60
- C \$180
- D \$215


Which number sentence is represented by this model?



- \bigcirc **A** -4.7 = 28
- B -4.7 = -28
- C 4·(-7) = 28
- \bigcirc **D** 4.(-7) = -28



The length of Rectangular Prism A is shown.




The length of this prism is multiplied by a scale factor of $\frac{1}{2}$ to create Rectangular Prism B. The volume of Rectangular Prism B is —

- A 2 times the volume of Rectangular Prism A
- B 3 times the volume of Rectangular Prism A
- \bigcirc **C** $\frac{1}{4}$ the volume of Rectangular Prism A
- \bigcirc **D** $\frac{1}{2}$ the volume of Rectangular Prism A

Which statement is false?

- A All squares are rectangles.
- B All squares are parallelograms.
- C All rhombuses are squares.
- O D All rhombuses are parallelograms.

Quadrilateral KLMN is rotated 180° clockwise about the origin. Which coordinates best represent the image of point K?




○ A (6,8)

- B (-4,2)
- C (8, -6)

○ D (4,-2)


Directions: Click and drag the correct answers to the boxes.

Triangle STV and triangle ZXY are similar. Which pair of segments are corresponding sides of these triangles?



Directions: Click on a box to choose each prism you want to select. You must select all correct prisms.

The dimensions of 4 rectangular prisms are shown. Identify each of the prisms for which the maximum amount of sand the prism can hold is 30 cubic inches.




A rectangular prism has a height of 3 inches and a volume of 27 cubic inches. The height of this prism is changed to 6 inches, and the other dimensions stay the same. What is the volume of the prism with this change?

- A 30 cubic inches
- B 54 cubic inches
- C 81 cubic inches
- D 162 cubic inches

Every rhombus is also a -

- A parallelogram
- B trapezoid
- \bigcirc C rectangle
- O D square

Quadrilateral PQMN is similar to quadrilateral WXYZ.



What is the measure of angle Z?

- A 65°
- B 80°
- C 100°
- D 115°

This table shows the dimensions of four rectangular prisms.


| Rectangular Prism | Length (in feet) | Width (in feet) | Height (in feet) |
|----------------------|---------------------|--------------------|---------------------|
| Q | 8 | 4 | 5 |
| R | 6 | 7 | 12 |
| S | 4 | 10 | 12 |
| т | 2 | 13 | 5 |

Rectangular Prism Dimensions

Which rectangular prism has the greatest volume?


- A Rectangular Prism Q
- B Rectangular Prism R
- C Rectangular Prism S
- D Rectangular Prism T

Which numbered triangle is a 90° counterclockwise rotation about the origin of the shaded triangle?



- A Triangle 1
- B Triangle 2
- C Triangle 3
- D Triangle 4

The diameter and height of a cylindrical container are shown.




The container is filled completely with cheese sauce. Which of these represents the total number of cubic inches of cheese sauce in the container?


- A π ⋅ 8² ⋅ 7
- Β π 16² 7
- \bigcirc **C** $2\pi \cdot 8^2 + 2\pi \cdot 8 \cdot 7$
- \bigcirc **D** $2\pi \cdot 16^2 + 2\pi \cdot 16 \cdot 7$

Directions: Click on the grid to plot a point.

Figure LMNP will be reflected across the y-axis. Place the point on the graph that represents point N'.



Triangle PQR is similar to triangle STU.




Which proportion can be used to find n?

• A
$$\frac{5}{15} = \frac{n}{12}$$

• B $\frac{15}{5} = \frac{n}{12}$
• C $\frac{13}{n} = \frac{12}{36}$
• D $\frac{13}{n} = \frac{36}{12}$

29 of 50

The number of 8-ounce glasses of water Shane drank each day for 12 days is represented in this histogram.



Glasses of Water Drank

Based on this histogram, which statement must be true?

- A On exactly 2 of these days, Shane drank 1 to 2 glasses of water. \bigcirc
- B On exactly 3 of these days, Shane drank 7 to 8 glasses of water. 0
- C On exactly 25% of these days, Shane drank 3 to 4 glasses of water. 0
- D On exactly 60% of these days, Shane drank 5 to 6 glasses of water. 0


The digits 1, 2, 3, and 4 are used to make a 3-digit number. Each digit can be repeated. What is the total number of 3-digit numbers that can be made using these digits?

- O A 12
- OB 27
- OC 64
- O D 81

If k = 2, what is the value of $k^3 - (k - 10) + 4k$?

- O A 6
- OB8
- OC 22
- O D 24

A spinner has 5 sections of equal size labeled P, Q, R, S, and T. The arrow of this spinner was spun 15 times and landed 4 times on the section labeled Q.



Which statement best describes the experimental probability and theoretical probability of the arrow landing on the section labeled Q ?

$$\bigcirc$$
 A The experimental probability is $\frac{1}{5}$, and the theoretical probability is $\frac{1}{5}$.

B The experimental probability is
$$\frac{1}{5}$$
, and the theoretical probability is $\frac{4}{15}$.

$$\bigcirc$$
 C The experimental probability is $\frac{4}{15}$, and the theoretical probability is $\frac{1}{5}$.

$$\bigcirc$$
 D The experimental probability is $\frac{4}{15}$, and the theoretical probability is $\frac{4}{15}$.

Ethan earns \$12 per hour to walk 2 dogs, plus an additional \$7 for brushing the 2 dogs after their walk.

- Let x represent the hours Ethan works.
- Let y represent the total he earns each day.

Which number sentence best represents this situation?

 \bigcirc **A** 12*x* + 2 + 7 = *y*

 \bigcirc **B** 12*x* • 2 + 7 = *y*

 \bigcirc **C** 12*x* + 7 = *y*

 \bigcirc **D** 12*x* - 7 = *y*

Aidan's age is 6 years less than half of Maggie's age. Aidan's age is 4 years. What is Maggie's age?

- A 2 years
- B 5 years
- C 10 years
- D 20 years

What is the solution to $-12x \le -72$?

- \bigcirc **A** $x \ge 6$
- \bigcirc **B** $x \leq 6$
- **C** $x \ge -6$
- \bigcirc **D** $x \leq -6$

Directions: Click on a box to choose the property you want to select. You must select the correct property.


Which property is illustrated by this number sentence?

$$(-1.7) + 3 = 3 + (-1.7)$$

| Associative Property | Commutative Property | Distributive | |
|----------------------|----------------------|-------------------|--|
| of Addition | of Addition | Property | |
| Associative Property | Commutative Property | Multiplicative | |
| of Multiplication | of Multiplication | Identity Property | |

Which graph represents the solution set to this inequality?

x + 5 < 7





This stem-and-leaf plot shows the high temperatures for a city over 20 days.

Which histogram represents the same set of data?

High Temperatures

| Stem | Leaf |
|------|------------|
| 6 | 24577788 |
| 7 | 0011445578 |
| 8 | 02 |





Marjorie bought 24 bottles of juice. Each day she opens and drinks 2 of these bottles of juice. Which of the following best represents the number of unopened bottles of juice Marjorie has at the end of d days?


- A 2*d* − 24
- B 24d 2
- **C** 24+2*d*
- **D** 24 2*d*

Directions: Click on a location above each bar to show the bar height.


Scott recorded the low temperature in Richmond each day for 10 days. This list shows the temperatures in degrees Celsius.

8°, 12°, 11°, 9°, 9°, 12°, 10°, 14°, 13°, 12°

Create a histogram of this set of data.



This spinner has 6 sections of equal size.



The arrow of this spinner was spun 60 times. On 45 out of 60 times, the arrow landed on a section labeled with a multiple of 4. What was the experimental probability of the arrow landing on a section labeled with a multiple of 4 ?

 \bigcirc A $\frac{1}{3}$

 $\bigcirc B \frac{1}{2}$

 $\bigcirc \mathbf{c} \frac{2}{3}$

 $\bigcirc D \frac{3}{4}$

What is the solution to
$$\frac{x}{-4} = 10$$
 ?

- © **B** −6
- OC6

◯ **D** 40

Which of the following is the algebraic form for the verbal statement shown?


"13 more than the product of 4 and a number, n"

- \bigcirc **A** $\frac{n}{4} + 13$
- B 4n+13
- C 4(n+13)
- **D** 13(*n*+4)

The table shows the results of 50 rolls of a fair number cube numbered 1 to 6.

| Number | Frequency |
|--------|-----------|
| 1 | 8 |
| 2 | 9 |
| 3 | 5 |
| 4 | 15 |
| 5 | 2 |
| 6 | 11 |

According to the data in the table, what was the experimental probability of rolling a 1?




A spinner has sections labeled W, X, Y, and Z. The faces of a number cube are labeled 1, 2, 3, 4, 5, and 6. What is the total number of possible outcomes of 1 spin of the arrow on the spinner and 1 roll of the number cube?

- OA6
- B 10
- OC 24
- O D 48

Which value of k makes -5 > k + 11 true?

- O A 8
- **B** -4
- C -16
- D -22

Which table contains only the points that lie on the line represented by $y = \frac{5}{4}x - 3$?



| | | x | у |
|---|---|----|------|
| 0 | В | -1 | -3.8 |
| | | 5 | 1 |

$$\bigcirc \mathbf{D} \quad \frac{x \quad y}{-2 \quad -5.5} \\ 4 \quad 2 \\ \end{bmatrix}$$

What is the value of *n* that makes the following true?

- A -84
- B -70
- OC 84
- O D 70

What is the solution to c - 14 < 16?

- A c < 2
- □ B c > 2
- C c < 30</p>
- D c > 30

Grade 7 Mathematics Released Test Spring 2014 Answer Key

| Test Sequence Number | Item Type: Multiple Choice (MC) or Technology- Enhanced Item (TEI) | Correct Answer | Reporting Category | Reporting Category Description |
|----------------------------|--|---|-----------------------|--|
| 1 | MC | А | 001 | Number, Number Sense, Computation and Estimation |
| 2 | MC | D | 001 | Number, Number Sense, Computation and Estimation |
| 3 | MC | А | 001 | Number, Number Sense, Computation and Estimation |
| 4 | TEI | Answers must be placed in the correct order from top to bottom: 4.7 × 10 ⁵ ; 5.2 × 10 ⁵ ; 3.9 × 10 ⁸ Directions: Click and drag each selected number to the correct box. Arrange the three numbers shown in order from least to greatest. Least 4.7×10^5 5.2×10^5 5.2×10^5 3.9×10^8 | 001 | Number, Number Sense, Computation and Estimation |
| 5 | МС | D | 001 | Number, Number Sense, Computation and Estimation |

| Test Sequence Number | Item Type: Multiple Choice (MC) or Technology- Enhanced Item (TEI) | Correct Answer | Reporting Category | Reporting Category Description |
|----------------------------|--|---|-----------------------|--|
| 6 | TEI | Typed Response: -9 | 001 | Number, Number Sense, Computation and Estimation |
| | | Directions: Type your answer in the box. | | |
| | | | | |
| | | What is the value of ($^{-15}$) $-$ ($^{-18}$) \div 3 ? | | |
| | | -9 | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 7 | MC | С | 001 | Number, Number Sense, Computation and Estimation |
| 8 | MC | С | 001 | Number, Number Sense, Computation and Estimation |
| 9 | MC | В | 001 | Number, Number Sense, Computation and Estimation |
| 10 | MC MC | B D | 001 | Number, Number Sense, Computation and Estimation |
| 11 | MC MC | | 001 001 | Number, Number Sense, Computation and Estimation |
| 12 | MC | <u> </u> | 001 | Number, Number Sense, Computation and Estimation Number, Number Sense, Computation and Estimation |
| 13 | MC | B | 001 | Number, Number Sense, Computation and Estimation Number, Number Sense, Computation and Estimation |
| 14 | MC | B | 001 | Number, Number Sense, Computation and Estimation |
| 16 | MC | B | 001 | Number, Number Sense, Computation and Estimation |
| 17 | MC | D | 002 | Measurement and Geometry |
| 18 | MC | C | 002 | Measurement and Geometry |
| 19 | MC | С | 002 | Measurement and Geometry |

| Test Sequence Number | Item Type: Multiple Choice (MC) or Technology- Enhanced Item (TEI) | Correct Answer | Reporting Category | Reporting Category Description |
|----------------------------|--|--|-----------------------|--------------------------------|
| 20 | | Any <u>ONE</u> of these answers: \overline{ST} and \overline{ZX} (in either order); \overline{TV} and \overline{XY} (in either order); or \overline{SV} and \overline{ZY} (in either order) Directions: Click and drag the correct answers to the boxes. Triangle <i>STV</i> and triangle <i>ZXY</i> are similar. Which pair of segments are corresponding sides of these triangles? v \overline{T} x \overline{x} \overline{y} \overline{ST} and \overline{ZX} \overline{TV} \overline{XY} \overline{ZY} \overline{SV} | 002 | Measurement and Geometry |

| Test Sequence Number | Item Type: Multiple Choice (MC) or Technology- Enhanced Item (TEI) | Correct Answer | Reporting Category | Reporting Category Description |
|----------------------------|--|---|-----------------------|--------------------------------|
| 21 | TEI | The last two prisms in the row on the right. | 002 | Measurement and Geometry |
| | | Both of these answers, and only these answers, must be selected. | | |
| | | Directions: Click on a box to choose each prism you want to select. You must select all correct prisms. | | |
| | | The dimensions of 4 rectangular prisms are shown. Identify each of the prisms for which the maximum amount of sand the prism can hold is 30 cubic inches. | | |
| | | 2 in. ² in. 1 in. ³ in. 1 in. ³ in. 2 in. ³ in. 1 in. ⁵ in. 1 in. ⁵ in. | | |
| | | | | |
| 22 | MC | В | 002 | Measurement and Geometry |
| 23 | MC | А | 002 | Measurement and Geometry |
| 24 | MC | С | 002 | Measurement and Geometry |
| 25 | MC | В | 002 | Measurement and Geometry |
| 26 | MC | В | 002 | Measurement and Geometry |
| 27 | MC | А | 002 | Measurement and Geometry |

| Test Sequence Number | Item Type: Multiple Choice (MC) or Technology- Enhanced Item (TEI) | Correct Answer | Reporting Category | Reporting Category Description |
|----------------------------|--|--|-----------------------|---|
| 28 | TEI | A point must be plotted on the coordinate plane at (-2, -3). Directions: Click on the grid to plot a point. Figure LMNP will be reflected across the y-axis. Place the point on the graph that represents point N'. | 002 | Measurement and Geometry |
| 29 | MC | С | 002 | Measurement and Geometry |
| 30 | MC | С | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 31 | MC | С | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 32 | MC | D | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 33 | MC | С | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 34 | MC | С | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 35 | MC | D | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 36 | MC | А | 003 | Probability, Statistics, Patterns, Functions, and Algebra |

| Test Sequence Number | Item Type: Multiple Choice (MC) or Technology- Enhanced Item (TEI) | Correct Answer | Reporting Category | Reporting Category Description |
|----------------------------|--|--|-----------------------|---|
| 37 | TEI | Commutative Property of Addition (the box located in the first row, second column) Directions: Click on a box to choose the property you want to select. You must select the correct property. | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| | | Which property is illustrated by this number sentence? (-1.7)+3=3+(-1.7) Associative Property of Addition Commutative Property Property Distributive Property Associative Property of Multiplication Commutative Property of Multiplication Multiplicative Identity Property | | |
| 38 | MC | С | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 39 | MC | D | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 40 | MC | D | 003 | Probability, Statistics, Patterns, Functions, and Algebra |

| Test Sequence Number | Item Type: Multiple Choice (MC) or Technology- Enhanced Item (TEI) | Correct Answer | Reporting Category | Reporting Category Description |
|----------------------------|--|--|-----------------------|---|
| 41 | TEI | The top of the bar for the temperature interval 7-8 should be at 1. The top of the bar for the temperature interval 9-10 should be at 3. The top of the bar for the temperature interval 11-12 should be at 4. The top of the bar for the temperature interval 13-14 should be at 2. All bars must be raised to the correct heights. Directions: Click on a location above each bar to show the bar height. Scott recorded the low temperature in Richmond each day for 10 days. This list shows the temperatures in degrees Celsius. 8°, 12°, 11°, 9°, 9°, 12°, 10°, 14°, 13°, 12° Create a histogram of this set of data. Under the low temperature in Richmond in degrees Celsius) Create a histogram of this set of data. | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 42 | MC | D | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 43 | MC | А | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 44 | MC | В | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 45 | MC | A | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 46 | MC | С | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 47 | MC | D | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 48 | MC | D | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 49 | MC | В | 003 | Probability, Statistics, Patterns, Functions, and Algebra |
| 50 | MC | С | 003 | Probability, Statistics, Patterns, Functions, and Algebra |

Items 1 through 7 are in the non-calculator section of the test. Items 8 through 50 are in the calculator section of the test.